FME Workbench Keyboard Shortcuts

> ✦ **Tip** [Click](#) to open a PDF of this page.

> 🗒 Jump to [Windows/Linux](#) shortcuts

> 🗒 Jump to [Mac](#) shortcuts

Windows/Linux

General Viewing

Action	Shortcut (Windows/Linux)
New (create a new workspace)	`Ctrl` `n`
Generate workspace	`Ctrl` `g`
Open	`Ctrl` `o`
Exit (FME Workbench)	`Ctrl` `q`
Close (workspace)	`Ctrl` `w`
Change to next tab	`Ctrl` `Tab`
Change to previous tab	`Ctrl` `Shift` `Tab`
Tab number	`Ctrl` `[tab number]`
Close current tab	`Ctrl` `F4`
Open containing folder	`Ctrl` `o`
Maximize canvas to current window size	`Shift` `F11`

Action	Shortcut (Windows/Linux)
Maximize canvas to full screen	`F11`
Zoom-in	`Ctrl` `+`
Zoom-out	`Ctrl` `-`
Zoom 100%	`Ctrl` `0`
Zoom in and out	`Ctrl` + scroll wheel
Pan	Click scroll wheel (or middle mouse button) and drag cursor.
Return cursor to action arrow.	Right-click anywhere on the canvas.

Search:
 	
• Workspace if the focus is in the workspace or the Navigator
• Log if the focus is in the Log window
	`Ctrl` `f`
	
	`F3`

Connection Style	`Ctrl` `Shift` `C`
Print	`Ctrl` `p`
Help	Select an object, then `F1`

Viewing Data in Visual Preview

Task	Shortcut (Windows/Linux)
Toggle automatic inspect on selection	`Ctrl` `Alt` `A`
Toggle Display Control	`Ctrl` `Alt` `` ` ``
Toggle table view	`Ctrl` `Alt` `1`

Task	Shortcut (Windows/Linux)
Toggle graphics view	`Ctrl` `Alt` `2`, `Ctrl` `Alt` `3`, `Ctrl` `Alt` `4`
Show/hide Feature Information window	`Ctrl` `Alt` `F`
Open in FME Data Inspector	`Ctrl` `Alt` `D`

General Editing

Task	Shortcut (Windows/Linux)
Cut	`Ctrl` `x`
Copy	`Ctrl` `c`
Paste	`Ctrl` `v`
Redo	`Ctrl` `y`
Save	`Ctrl` `s`
Select All	`Ctrl` `a`
Undo	`Ctrl` `z`
Smart Delete (repair connections)	`Delete`
Delete (without repair)	`Shift` +`Delete`

Readers, Writers, and Transformers

Task	Shortcut (Windows/Linux)
Add Reader	`Ctrl` `Alt` `r`

Task	Shortcut (Windows/Linux)
Add Writer	`Ctrl` `Alt` `w`
Show Parameters	Select an object, then `Enter`.
Connect Inspector	Select the object(s), then `Ctrl` `Shift` `I`
Connect Logger	Select the object(s), then `Ctrl` `Shift` `L`
Create custom transformer	Select one or more transformers, then `Ctrl` `t`
Duplicate transformer	`Ctrl` `d`
	🗒 Using Quick Add: If you add a transformer and want to add the same transformer again, press `/`. The Quick Add box will appear showing the last selected transformer. Press `Return` to include it, then press `Return` again to edit its parameters.
Rename	Select the object, then `F2`
Reload transformers	`Ctrl` `Shift` `R`
Search transformers, readers, and writers	`/`

Other Workspace Authoring

Task	Shortcut (Windows/Linux)
Add bookmark	`Ctrl` `b`
Attach annotation	Select the object(s), then `Ctrl` `k`
Show summary annotation	Select the object(s), then `Ctrl` `Shift` `K`
Insert Junction	`Ctrl` `Shift` `J`
Enable/disable objects (including links and feature types)	`Ctrl` `e`
Compare workspaces and merge differences	`Ctrl` `Alt` `c`

Running Workspaces

Task	Shortcut (Windows/Linux)
Run translation	`F5`
Rerun entire workspace	`Shift` `F5`
Enable Prompt for User Parameters	`Ctrl` `Alt` `F5`
Prompt and run	`Ctrl` `r`
Enable feature caching	`Ctrl` `F5`
Enable feature caching + "Run From This"	`F6`
Enable feature caching + "Run To This"	`Shift` `F6`
Run with breakpoints	`Ctrl` `Shift` `F5`
Toggle breakpoints	Select connection, then `F9`

Mac

Action	Shortcut (Mac)
New (create a new workspace)	⌘ n
Generate workspace	Shift ⌘ n
Open	⌘ o
Exit (FME Workbench)	⌘ q
Close (workspace)	⌘ w
Change to next tab	
Change to previous tab	
Tab number	⌘ [tab number]
Close current tab	⌘ w
Open containing folder	⌘ o
Maximize canvas to current window size	Shift F11
Maximize canvas to full screen	F11
Zoom-in	⌘ +
Zoom-out	⌘ –
Zoom 100%	⌘ 0
Zoom in and out	⌘ + scroll wheel
Pan	Click scroll wheel (or middle mouse button) and drag cursor
Return cursor to action arrow.	Right-click anywhere on the canvas.

Action	Shortcut (Mac)
Search: • Workspace if the focus is in the workspace or the Navigator • Log if the focus is in the Log window	⌘ f
Connection Style	⌘ Shift C
Print	⌘ p
Help	Select an object, then F1

Viewing Data in Visual Preview

Task	Shortcut (Mac)
Toggle automatic inspect on selection	Option ⌘ A
Toggle Display Control	Option ⌘ `
Toggle table view	Option ⌘ 1
Toggle graphics view	Option ⌘ 2, Option ⌘ 3, Option ⌘ 4
Show/hide Feature Information window	Option ⌘ F
Open in FME Data Inspector	⌘ Shift D

General Editing

Task	Shortcut (Mac)
Cut	⌘ x

Task	Shortcut (Mac)
Copy	⌘ C
Paste	⌘ v
Redo	shift+⌘ z
Save	⌘ s
Select All	⌘ a
Undo	⌘ z
Smart Delete (repair connections)	`Delete`
Delete (without repair)	`Shift` `Delete`

Readers, Writers, and Transformers

| Task	Shortcut (Mac)
Add Reader	`Option` ⌘ `r`
Add Writer	`Option` ⌘ `w`
Show Parameters	Select an object, then `Enter`.
Connect Inspector	Select the object(s), then `Ctrl` `Shift` `I`
Connect Logger	Select the object(s), then `Ctrl` `Shift` `L`
Create custom transformer	Select one or more transformers, then ⌘ `t`
Duplicate transformer	⌘ `d`
Rename	Select the object, then `F2`
Reload transformers	⌘ `Shift` `R`

Task	Shortcut (Mac)
Search transformers, readers, and writers	`/`

Other Workspace Authoring

Task	Shortcut (Mac)
Add bookmark	`⌘` `b`
Attach annotation	Select the object(s), then `⌘` `k`
Show summary annotation	Select the object(s), then `Shift` `⌘` `K`
Insert Junction	`Shift` `⌘` `J`
Enable/disable objects (including links and feature types)	`⌘` `e`
Compare workspaces and merge differences	`Option` `⌘` `c`

Running Workspaces

Task	Shortcut (Mac)
Run translation	`F5`
Rerun entire workspace	`Shift` `F5`
Enable Prompt for User Parameters	`⌘` `Alt` `F5`

> 📝 **Note** MacOS *Show Accessibility Controls* shortcut must be disabled in System Preferences.

Task	Shortcut (Mac)
Prompt and run	⌘ r
Enable feature caching	⌘ F5
Enable feature caching + "Run From This"	F6
Enable feature caching + "Run To This"	Shift F6
Run with breakpoints	⌘ Shift F5
Toggle breakpoints	Select connection, then F9